

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	01-09-2026 14:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	01-09-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Pmo
विभाग का नाम / Department Name	Department Of Atomic Energy
संगठन का नाम / Organisation Name	Institute For Plasma Research
कार्यालय का नाम / Office Name	Centre Of Plasma Physics Ipr Guwahati
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : cen.director-cppipr@gov.in Buyer Email id: hemanta@cppipr.res.in
कुल मात्रा / Total Quantity	13517
वस्तु श्रेणी / Item Category	Current Sense Resistors , Metal Film Resistor , Precision Metal Film Resistor , COG_NP0 Ceramic capacitor , Film Capacitors, radial,1nF , Film Capacitors, radial,10nF , Film Capacitors, radial,100nF , Film Capacitors, radial,1uF , X7R Ceramic capacitor , X5R Ceramic capacitor , Electrolytic capacitor, radial,10mF , Electrolytic capacitor, radial,47mF , Electrolytic capacitor, radial,100mF , Electrolytic capacitor, radial, 470mF , Electrolytic capacitor, , radial,1000mF , Inductor , radial,10mH , Inductor , radial, 100mH , Inductor , SMD, 10mH , Ferrite Bead, Cable core, 120ohm , Ferrite Bead, SMD 0805, 120ohm , Ferrite Bead, SMD 0805, 220ohm , Ferrite Bead, SMD 0805, 600ohm , Schottky diode , TVS Diode, signal rail , TVS Diode, 12V power rail , TVS Diode,24V power rail , Schottky, 100V clamping , BAV199 diode , Duel BAV199S , TVS diode , Potentiometer, 100K , Potentiometer,10K , SMD LED BLUE , SMD LED GREEN , SMD LED YELLOW , SMD LED RED , General Purpose Operational Amplifier IC, TL072 , Precision Operational Amplifier IC, OPA2192 , LMR33630 , Precision OpAmp , High Speed OpAmp , Voltage reference IC , Isolated DC-DC converter , Instrum. amplifiers , Clock Fanout Buffer , LVDS interface IC , HV OpAmp , DC_DC VR Buck Booster , Toggle Switch -5A , Toggle Switch -15A , SMA pcb Connector, right angle , SMA pcb Connector, straight , SMA plug to bulkhead Jack Cable , SMA Attenuator , SMA Crimp Connector , 50 ohm terminators
	Current Sense Resistors 5.0W, 100m?, Metal Film Resistor, SMD, 0805, 1% tol, 220 ?, Metal Film Resistor, SMD, 0805, 1% tol, 330 ?, Metal Film Resistor, SMD, 0805, 1% tol, 1k?, Metal Film Resistor, SMD, 0805, 1% tol, 4.7k?, Metal Film

बिड विवरण / Bid Details	Resistor, SMD, 0805, 1% tol, 10 k?, Metal Film Resistor, SMD, 0805, 1% tol, 100 k?, Metal Film Resistor, SMD, 1206, .5W, 0 ?, Metal Film Resistor, SMD, 1206, 1.0W, 10?, Precision Metal Film Resistor, SMD 0805, 0?, Precision Metal Film Resistor, SMD 0805, 0.1% tol, 10? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 24.9? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 49.9? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 100? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 220? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 499? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 1k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 2k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 4.02k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 4.99k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 8.06k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 9.09k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 10k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 18k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 19.1k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 20k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 49.9k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 100k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 200k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 499k? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 1M? , Precision Metal Film Resistor, SMD 0805, 0.1% tol, 2.2M? , C0G/NP0 Ceramic capacitor, SMD 0805, 0.5 pF, C0G/NP0 Ceramic capacitor SMD 0805, 1 pF, C0G/NP0 Ceramic capacitor SMD 0805, 2.2 pF, C0G/NP0 Ceramic capacitor SMD 0805, 3.3 pF, C0G/NP0 Ceramic capacitor SMD 0805, 4.7 pF, C0G/NP0 Ceramic capacitor SMD 0805, 10 pF, C0G/NP0 Ceramic capacitor SMD 0805, 22 pF, C0G/NP0 Ceramic capacitor SMD 0805, 33 pF, C0G/NP0 Ceramic capacitor SMD 0805, 47 pF, C0G/NP0 Ceramic capacitor SMD 0805, 68 pF, C0G/NP0 Ceramic capacitor SMD 0805, 100 pF, C0G/NP0 Ceramic capacitor SMD 0805, 10 nF, C0G/NP0 Ceramic capacitor SMD 0805, 1nF, Film Capacitors, radial,1nF, Film Capacitors, radial,10nF, Film Capacitors, radial,100nF, Film Capacitors, radial,1uF , X7R Ceramic capacitor, radial, 100nF, X7R Ceramic capacitor, radial, 1uF, X5R Ceramic capacitor, radial, 01uF, X5R Ceramic capacitor, radial,1uF, 200V, X5R Ceramic capacitor, SMD,1206, 1nF, 200V, X5R Ceramic capacitor, SMD,1206, 100nF, 200V, X5R Ceramic capacitor, SMD,1206, 220nF, 200V, X5R Ceramic capacitor, SMD, 1812, 1uF, 200V, X7R Ceramic capacitor, SMD 0805, 1nF, X7R Ceramic capacitor, SMD 0805, 100nF, X7R Ceramic capacitor, SMD 0805, 1uF, X7R Ceramic capacitor, SMD 0805, 10uF, Electrolytic capacitor, radial,10mF, Electrolytic capacitor, radial,47mF, Electrolytic capacitor, radial,100mF, Electrolytic capacitor, radial, 470mF, Electrolytic capacitor, , radial,1000mF, Inductor , radial,10mH, Inductor , radial, 100mH, Inductor , SMD, 10mH, Ferrite Bead, Cable core, 120?, Ferrite Bead, SMD 0805, 120?, Ferrite Bead, SMD 0805, 220?, Ferrite Bead, SMD 0805, 600?, Schottky diode, TVS Diode, signal rail, TVS Diode, 12V power rail, TVS Diode,24V power rail , Schottky, 100V clamping, BAV199 diode, Dual BAV199S, TVS diode, Potentiometer, 100K, Potentiometer,10K, SMD LED BLUE, SMD LED GREEN, SMD LED YELLOW, SMD LED RED, General Purpose Operational Amplifier IC, TL072, Precision Operational Amplifier IC, OPA2192, Switching Voltage Regulator IC, LMR33630, Precision Operational Amplifiers, OPA2140, High Speed Operational Amplifiers, OPA657, High Speed Operational Amplifiers - LTC6268IS8, high Speed Operational Amplifiers -
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	

विड विवरण/Bid Details	LTC6269IMS8E-10, high Speed Operational Amplifiers - THS4631, Voltage reference IC, Isolated DC-DC converter
	12V, Instrumentation amplifiers, Clock fan-out Buffer, LVDS interface IC, HV Operational Amplifier , DC/DC Voltage Regulator / Buck Booster, Toggle Switch -5A, Toggle Switch -15A, SMA pcb Connector, right angle, SMA pcb Connector, straight , SMA plug to bulkhead Jack Cable, SMA Attenuator, SMA Crimp Connector , 50 ? terminators
	Searched String: Current Sense Resistors 5.0W, 100m? Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Resistors (V2), Muffle/Box Furnace (V2), Respirable Dust Sampler as per IS 5182, Vertical Blinds (V2), Equipment Camouflage Nets (Jute) as per Defence Specification, Micro/Semi-Micro/Analytical weighing balance Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 220 ? Category not available on GeM for the text string uploaded by the buyer Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 330 ? Category not available on GeM for the text string uploaded by the buyer Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 1k? Category not available on GeM for the text string uploaded by the buyer Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 4.7k? Category not available on GeM for the text string uploaded by the buyer Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 10 k? Resistors (V2) Searched String: Metal Film Resistor, SMD, 0805, 1% tol, 100 k? Category not available on GeM for the text string uploaded by the buyer Searched String: Metal Film Resistor, SMD, 1206, .5W, 0 ? Rollerball Pen (V3), Foreign body (metal) detector for veterinary use, Resistors (V2), Writing Pens, Metal Putty Searched String: Metal Film Resistor, SMD, 1206, 1.0W, 10? Writing Pens, Rollerball Pen (V3), Gel Pen (V3) Searched String: Precision Metal Film Resistor, SMD 0805, 0? Category not available on GeM for the text string uploaded by the buyer Searched String: Precision Metal Film Resistor, SMD 0805,

विड विवरण/Bid Details	0.1% tol, 10?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 24.9?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 49.9?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 100?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 220?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 499?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 1k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 2k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 4.02k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 4.99k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 8.06k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 9.09k?
	Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 10k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 18k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 19.1k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 20k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 49.9k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 100k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 200k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 499k?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 1M?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Precision Metal Film Resistor, SMD 0805, 0.1% tol, 2.2M?
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: COG/NP0 Ceramic capacitor, SMD 0805, 0.5 pF
	Category not available on GeM for the text string uploaded by the buyer
	Muffle/Box Furnace (V2), Foreign body (metal) detector for veterinary use, Online UPS (V2), Multimedia Projector (MMP), Line Interactive UPS with AVR (V2), Electronic Weighing Scales, Rollerball Pen (V3), Ceramic (Vitreous

बिड विवरण / Bid Details	China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Micro/Semi-Micro/Analytical weighing balance, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721
	Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 1 pF Capacitance and Tan Delta Measurement Kit (V2) Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 2.2 pF Line Interactive UPS with AVR (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Electronic Weighing Scales, Sodium Dichloroisocyanurate (NaDCC) (V2) Conforming to IS 15773, Reciprocating Air Compressors - Electric Motor Driven, Winter Jacket (V2), PCR Tubes, Muffle/Box Furnace (V2), Multimedia Projector (MMP), Online UPS (V2) Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 3.3 pF Electronic Weighing Scales, Capacitors for Electric Fan Motors as per IS 1709 (V2), Line Interactive UPS with AVR (V2), Winter Jacket (V2), Online UPS (V2), Muffle/Box Furnace (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Plotter Printers (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 4.7 pF Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Jumbo Process Indicator, SEWAGE TREATMENT PLANT, Capacitors for Electric Fan Motors as per IS 1709 (V2) Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 10 pF Capacitance and Tan Delta Measurement Kit (V2) Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 22 pF Category not available on GeM for the text string uploaded by the buyer Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 33 pF Category not available on GeM for the text string uploaded by the buyer Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 47 pF Category not available on GeM for the text string uploaded by the buyer Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 68 pF

विड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 100 pF Category not available on GeM for the text string uploaded by the buyer Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 10 nF Category not available on GeM for the text string uploaded by the buyer Searched String: C0G/NP0 Ceramic capacitor SMD 0805, 1nF Line Interactive UPS with AVR (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Muffle/Box Furnace (V2), Electronic Weighing Scales, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Automatic Fire Ball for Fire - Extinguishing, Stereo Microscope (V1), digital conductivity meter, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Film Capacitors, radial,1nF Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Fountain Pens (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) Searched String: Film Capacitors, radial,10nF Capacitors for Electric Fan Motors as per IS 1709 (V2), Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Digital Medical X - Ray Films (V3), Medical X - Ray Films (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Antimicrobial Dressing (V2) Searched String: Film Capacitors, radial,100nF Capacitors for Electric Fan Motors as per IS 1709 (V2), Optical Adhesive Film, Antimicrobial Dressing (V2), Digital Medical X - Ray Films (V3), Conductive Film, Lamination Films (V2) Searched String: Film Capacitors, radial,1uF Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Fountain Pens (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) Searched String: X7R Ceramic capacitor, radial, 100nF Cotton Towelling And Towels Conforming To IS 7056 (V4), Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Shaker Incubator, Ceramic Fibre Blanket Insulation (V2) Conforming

बिड विवरण/Bid Details	To IS 15402, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Electric Axial Flow Fans (V2) Conforming To IS 3588, modular electrical enclosure switch board boxes for modular type accessories, Electronic Baby Weighing Scale - RBSK, Cotton Towelling And Towels (V3) Conforming To IS 7056, Wooden Lab Stools
	Searched String: X7R Ceramic capacitor, radial, 1uF Towel Hand Cotton Turkish (IAF), Cotton Towelling And Towels Conforming To IS 7056 (V4), Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Cotton Towelling And Towels (V3) Conforming To IS 7056, Ceramic Fibre Blanket Insulation (V2) Conforming To IS 15402, Correspondence Envelopes (V3) Conforming to IS 13892, Electric Axial Flow Fans (V2) Conforming To IS 3588, rubber bands, Capacitors for Electric Fan Motors as per IS 1709 (V2), Muffle Furnace Searched String: X5R Ceramic capacitor, radial, 01uF Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633, Ceramic Fibre Blanket Insulation (V2) Conforming To IS 15402, Micro/Semi-Micro/Analytical weighing balance, Capacitors for Electric Fan Motors as per IS 1709 (V2), Electronic Weighing Scales, Automotive Vehicles - Pneumatic Tyres for Passenger Car Vehicles - Diagonal and Radial Ply as per IS 15633, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Hydrochloric Acid (V3) Conforming to IS 265 Searched String: X5R Ceramic capacitor, radial,1uF, 200V Cotton Towelling And Towels Conforming To IS 7056 (V4), Kirschner Wire (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Frequency meter - Analog (Panel Meter), Portable Toilet, Hydrochloric Acid (V3) Conforming to IS 265, Recycled T - Shirt, Micro/Semi-Micro/Analytical weighing balance, Multipurpose or General Test Tubes (V2) as per IS 2618, Watt Meter - Analog (Panel Meter) as per IS 1248:2003 Searched String: X5R Ceramic capacitor, SMD,1206, 1nF, 200V Cotton Towelling And Towels Conforming To IS 7056 (V4), Kirschner Wire (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Frequency meter - Analog (Panel Meter), Portable Toilet, Hydrochloric Acid (V3) Conforming to IS 265, Recycled T - Shirt, Micro/Semi-Micro/Analytical weighing balance, Multipurpose or General Test Tubes (V2) as per IS 2618, Watt Meter - Analog (Panel Meter) as per IS 1248:2003 Searched String: X5R Ceramic capacitor, SMD,1206, 100nF, 200V Cotton Towelling And Towels Conforming To IS 7056 (V4), Reciprocal Shakers - Mechanical Shaker Machine with Timer, modular electrical enclosure switch board boxes for modular type accessories, Foot Steps For Hospital/Clinic and Domestic Purposes

विड विवरण / Bid Details	Searched String: X5R Ceramic capacitor, SMD,1206, 220nF, 200V
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Quilts (V2), Examination Answer Books for Higher and Competitive Examinations (V4)
	Searched String: X5R Ceramic capacitor, SMD, 1812, 1uF, 200V
	Cotton Towelling And Towels Conforming To IS 7056 (V4), Kirschner Wire (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Frequency meter - Analog (Panel Meter), Portable Toilet, Hydrochloric Acid (V3) Conforming to IS 265, Recycled T - Shirt, Micro/Semi-Micro/Analytical weighing balance, Multipurpose or General Test Tubes (V2) as per IS 2618, Watt Meter - Analog (Panel Meter) as per IS 1248:2003
	Searched String: X7R Ceramic capacitor, SMD 0805, 1nF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: X7R Ceramic capacitor, SMD 0805, 100nF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: X7R Ceramic capacitor, SMD 0805, 1uF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: X7R Ceramic capacitor, SMD 0805, 10uF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Electrolytic capacitor, radial,10mF
	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636
	Searched String: Electrolytic capacitor, radial,47mF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Electrolytic capacitor, radial,100mF
	Post For Wire Rope Barrier
	Searched String: Electrolytic capacitor, radial, 470mF
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Electrolytic capacitor, , radial,1000mF
	Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636
	Searched String: Inductor , radial,10mH

बिड विवरण / Bid Details	Inline Inductor, water baths, Radial Drilling Machine, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Manikin for Radial Arterial Puncture Arm Training (V2), Humidity Chamber, Manikin for radial arterial puncture arm training, Endoscopic Ultrasound, Nitrile Coated/Nitrile Hand Gloves (V2), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097 Searched String: Inductor , radial, 100mH Inline Inductor, Cotton Towelling And Towels Conforming To IS 7056 (V4), Radial Drilling Machine, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Manikin for Radial Arterial Puncture Arm Training (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Manikin for radial arterial puncture arm training, Endoscopic Ultrasound, Desk Pads - Writing (V2), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097 Searched String: Inductor , SMD, 10mH Inline Inductor, water baths, SMD Rework Station, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097, Humidity Chamber, Nitrile Coated/Nitrile Hand Gloves (V2), Drop Out Fuses, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Line Interactive UPS with AVR (V2) Searched String: Ferrite Bead, Cable core, 120? PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1) Searched String: Ferrite Bead, SMD 0805, 120? Category not available on GeM for the text string uploaded by the buyer Searched String: Ferrite Bead, SMD 0805, 220? Category not available on GeM for the text string uploaded by the buyer Searched String: Ferrite Bead, SMD 0805, 600? SMD Rework Station
-------------------------	--

बिड विवरण/Bid Details	Searched String: Schottky diode
	Rectifier diode, LED Flash Light, Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Professional Large Format Display (V2), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, Bridge Rectifiers, Television (V3) Searched String: TVS Diode, signal rail flag hand signal made from bunting cloth cotton khadi Searched String: TVS Diode, 12V power rail Light emitting diode driver, Small Angle Grinders, Abrasive Rail Cutter Machine (gasoline powered), Electric Two Wheeler - Motorcycle, Scooter and Moped, LED Flash Light, Soft Tissue Diode Dental Laser, Power Factor Meter - Digital, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Air operated pneumatic power cylinder Searched String: TVS Diode,24V power rail Light emitting diode driver, Small Angle Grinders, Abrasive Rail Cutter Machine (gasoline powered), Electric Two Wheeler - Motorcycle, Scooter and Moped, Power Factor Meter - Digital, Soft Tissue Diode Dental Laser, LED Flash Light, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications Searched String: Schottky, 100V clamping Cotton Towelling And Towels Conforming To IS 7056 (V4), CIPROFLOXACIN I.V. INFUSION INJECTION, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), LEVOFLOXACIN I.V. INFUSION INJECTION, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Hose Clamp as per IS 4762, true rms clamp meter, Cucumber Seeds (V2), Small Angle Grinders, Insulation Tester Searched String: BAV199 diode Rectifier diode, LED Flash Light, Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Professional Large Format Display (V2), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, Bridge Rectifiers, Television (V3) Searched String: Duel BAV199S Duel Adjustable Pulley, Parallel Bar - Outdoor Gym Equipment, Vertical Autoclave, Composite Office Tables conforming to IS 8126 (V2), Books (V2), Rotary Hammer Drill (NDRF), Revolving Chair (V5), Modular Table / Meeting Table / Centre Table (V2), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), All in One PC (V2) Searched String: TVS diode Rectifier diode, LED Flash Light, Diode Stud Type(RINL), Toner Cartridges / Ink Cartridges / Consumables for Printers, Light emitting diode driver, Professional Large Format

बिड विवरण / Bid Details	Display (V2), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, Bridge Rectifiers, Television (V3) Searched String: Potentiometer, 100K Potentiometer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Solid State Potentiometer, Proteinase K, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Chest Press - Outdoor Gym Equipments, Muffle Furnace, water baths, Ultra low temperature laboratory deep freezer, Biosafety Cabinet Searched String: Potentiometer,10K Potentiometer, water baths, Solid State Potentiometer, Resistors (V2), Muffle Furnace, Humidity Chamber, Ultra low temperature laboratory deep freezer, Biosafety Cabinet, Deep freezer, Environmental Chamber Searched String: SMD LED BLUE SMD Rework Station, Laboratory Incubators, Bromophenol Blue, Bromothymol Blue, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Prussian Blue, Muffle Furnace, Hydroxynaphthol Blue, Humidity Chamber, Blue Pottery - ODOP Searched String: SMD LED GREEN SMD Rework Station, Laboratory Incubators, Bromocresol green, GREEN GRAM Seeds, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Detox Green Capsules, Muffle Furnace, Green Tea Capsules, Humidity Chamber, Brilliant Green Agar Searched String: SMD LED YELLOW Metanil Yellow, Laboratory Incubators, SMD Rework Station, LED Curbstone, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Batten, Muffle Furnace, LED Batten Light (LED Tube Light) (V2), Humidity Chamber, Surgical LED Headlight Searched String: SMD LED RED SMD Rework Station, Laboratory Incubators, Methyl Red, Infra red Torch, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), FPO - Red Rice, Muffle Furnace, Congo Red Indicator, Humidity Chamber, RED CLOVER Seeds Searched String: General Purpose Operational Amplifier IC, TL072 Category not available on GeM for the text string uploaded by the buyer Searched String: Precision Operational Amplifier IC, OPA2192 Category not available on GeM for the text string uploaded by the buyer Searched String: Switching Voltage Regulator IC,
-------------------------	---

बिड विवरण/Bid Details	LMR33630
	Vacuum Contactor Conforming To IS/IEC 60470, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Single switch IGBT Module, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II) Searched String: Precision Operational Amplifiers, OPA2140 Category not available on GeM for the text string uploaded by the buyer Searched String: High Speed Operational Amplifiers, OPA657 High speed stirrer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, High speed tripping relay, High Speed Drill System for Neurosurgery & Spinal Surgery, High Steel Speed Cutters, Wood cutter circular saw type, High Speed Stirrer (V2), Ground High Speed Steel Tool Bit (V2) as per IS 11143, Digital Duplicators (V4), Ground High Speedsteel Tool Bits as per IS 11143 Searched String: High Speed Operational Amplifiers - LTC6268IS8 High speed stirrer, Portable Emergency LED Lighting Tower System with Battery Bank, High speed tripping relay, High Speed Drill System for Neurosurgery & Spinal Surgery, High Steel Speed Cutters, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, High Speed Stirrer (V2), High Mast Lighting Tower for large area with LED Flood Lighting System, Sewing Machine as per IS 1610, Ground High Speed Steel Tool Bit (V2) as per IS 11143 Searched String: high Speed Operational Amplifiers - LTC6269IMS8E-10 Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cutting Tools, Battery Operated Industrial Sweeper, Hand - Operated Chain Pulley Block (V2) as per IS 3832 Searched String: high Speed Operational Amplifiers - THS4631 High speed stirrer, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, High speed tripping relay, High Speed Drill System for Neurosurgery & Spinal Surgery, High Steel Speed Cutters, Wood cutter circular saw type, High Speed Stirrer (V2), Ground High Speed Steel Tool Bit (V2) as per IS 11143, Digital Duplicators (V4), Ground High Speedsteel Tool Bits as per IS 11143 Searched String: Voltage reference IC IC SOCKET, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), GNSS RECEIVER FOR REFERENCE STATION, Starter Motors for IC Engines, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, IC Engine Scooters for Specially Abled, Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Voltage Monitor Relay, HT Tape, Hight Voltage Detector Searched String: Isolated DC-DC converter 12V

बिड विवरण / Bid Details	DC Solar Wire, vortex mixers, DC WINCH MOTOR, DC Anvil (OFB), E - Cart for Garbage (V2), DC Electronic Load, DC Current Transducer, Circuit Breakers for DC Operation, DC EV Charging Station, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774 Searched String: Instrumentation amplifiers water baths, Commercial Dosa Hot Plate, Ultra low temperature laboratory deep freezer, Onion / Potato Bin, Biosafety Cabinet, Chapati Plate with Puffer (V2), Deep freezer, Water Boiler, Recirculating chiller, Platform Trolley (V3) Searched String: Clock fan-out Buffer Mist Air Fan Searched String: LVDS interface IC IC SOCKET, Steam Sterlizer (V2), Interface module, Ride-On Sweepers, Network Interface Card, Refrigerated Centrifuge For General And Research Purpose, Starter Motors for IC Engines, Three Wheeler for Goods (V2), IC Engine Scooters for Specially Abled, Ion Chromatography System Searched String: HV Operational Amplifier Audio Amplifier (V3), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, T - Shirts (Operational Uniform) for (NDRF), Audio Amplifier (V3) (under BIS Scheme - II), Scrubber Dryer Floor Cleaning Machine (V2), Trunk Wear Bermuda (Operational Uniform) for (NDRF), Portable Emergency LED Lighting Tower System with Battery Bank, Hardner HV 9534 + Araldite Resin 5 KG (Hardner K 9), E - Cart for Garbage (V2), Speaker (V3) Searched String: DC/DC Voltage Regulator / Buck Booster DC Voltage transducer(BHEL), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), DC Electronic Load, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Solid State Potentiometer, OVERVOLTAGE PROTECTOR, DC Regulated Power Supply As Per MHA QRs Searched String: Toggle Switch -5A Toggle Switches, File/Folder (V3), Limit Switch, Jaw Crusher, Reed Switch, Entry and Mid Level Desktop Computer, Time Switch, All in One PC (V2), Industrial Switch, High End Desktop Computer Searched String: Toggle Switch -15A Toggle Switches, File/Folder (V3), Limit Switch, Jaw Crusher, Reed Switch, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Time Switch, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Industrial Switch, KVM Switch Searched String: SMA pcb Connector, right angle SMA connector, Corner Bracket(BHEL), Surgical Forceps, Small Angle Grinders, Locking Compression Plates (V2),
-------------------------	---

बिड विवरण/Bid Details	Fiber Optic Pigtaills, Thoracic Drainage Catheter (V2), Non-Locking Bone Plate
	Searched String: SMA pcb Connector, straight SMA connector, Fiber Optic Pigtaills, Cardiopulmonary Bypass Connectors (V2) Searched String: SMA plug to bulkhead Jack Cable Cables, Converters and Adapters Searched String: SMA Attenuator SMA connector, Attenuators, Smartphones (V3), Small UAV for ISR Purpose (80 Minute Endurance) as per MHA QRs, SMART CLASS EQUIPMENT WITH DIGITAL CONTENTS SOFTWARE, Small UAV for ISR Purpose (150 Minute Endurance) as per MHA QRs, Small UAV for ISR Purpose (45 Minute Endurance) as per MHA QRs, Smart Inverted Canopy with Solar and Rainwater Harvesting System, Small Foam Tender for Fire Brigade Use conforming to IS 10460, Smart Card (Scosta / Scosta - CL) Searched String: SMA Crimp Connector SMA connector, Crimping Tools, Crimp Length Tester (Textile), Hose connector, Substation Clamps / Connectors, Connector Glass, Connector Pipes for Washbasins/ Sinks/ Geyser, Electrical Power Connector, Terminal Strip Connectors, Standalone Needle Free Connector Searched String: 50 ? terminators Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Nitrile Coated/Nitrile Hand Gloves (V2), Diafenthuron 50% WP, Wild - Life Cages, Flonicamid 50% WG, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Copper Oxychloride 50% WP, Probiotics 50 Billion CFUs Capsules, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Profenofos 50% EC as per IS:15240
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• SMA connector • Rectifier diode • Resistors (V2)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Current Sense Resistors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+ 15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Current Sense Resistors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Precision Metal Film Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	30	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	30	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

C0G_NP0 Ceramic Capacitor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

C0G_NP0 Ceramic Capacitor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	700	60

C0G_NP0 Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

COG_NP0 Ceramic Capacitor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

Film Capacitors, Radial,1nF**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

Film Capacitors, Radial,10nF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

Film Capacitors, Radial,100nF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	30	60

Film Capacitors, Radial,1uF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	20	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

X5R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

X5R Ceramic Capacitor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

X5R Ceramic Capacitor**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

X5R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

X5R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

X7R Ceramic Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

Electrolytic Capacitor, Radial,10mF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Electrolytic Capacitor, Radial,47mF**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Electrolytic Capacitor, Radial,100mF**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Electrolytic Capacitor, Radial, 470mF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

Electrolytic Capacitor, , Radial,1000mF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

Inductor , Radial,10mH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Inductor , Radial, 100mH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Inductor , SMD, 10mH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	25	60

Ferrite Bead, Cable Core, 120ohm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	250	60

Ferrite Bead, SMD 0805, 120ohm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

Ferrite Bead, SMD 0805, 220ohm**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Ferrite Bead, SMD 0805, 600ohm**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Schottky Diode

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	500	60

TVS Diode, Signal Rail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

TVS Diode, 12V Power Rail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

TVS Diode,24V Power Rail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Schottky, 100V Clamping

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	30	60

BAV199 Diode

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

Duel BAV199S

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

TVS Diode**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	200	60

Potentiometer, 100K**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	1	60

Potentiometer,10K

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	2	60

SMD LED BLUE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

SMD LED GREEN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

SMD LED YELLOW

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

SMD LED RED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

General Purpose Operational Amplifier IC, TL072

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	20	60

Precision Operational Amplifier IC, OPA2192

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

LMR33630**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	6	60

Precision OpAmp**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	12	60

Precision OpAmp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	2	60

High Speed OpAmp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	25	60

High Speed OpAmp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	2	60

High Speed OpAmp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	25	60

Voltage Reference IC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

Isolated DC-DC Converter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

Instrum. Amplifiers

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	3	60

Clock Fanout Buffer**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

LVDS Interface IC**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	25	60

HV OpAmp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	3	60

DC_DC VR Buck Booster

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	5	60

Toggle Switch -5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	4	60

Toggle Switch -15A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

SMA Pcb Connector, Right Angle

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	100	60

SMA Pcb Connector, Straight

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

SMA Plug To Bulkhead Jack Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	25	60

SMA Attenuator**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	12	60

SMA Crimp Connector**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	50	60

50 Ohm Terminators**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Hemanta Sarma	782402,Nazirakhat, Sonapur	10	60

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

A) Bidders are required to submit a duly filled and signed undertaking **(ANNEXURE-II)** strictly in the prescribed format, without making any modifications to the document uploaded under the "Buyer Uploaded ATC Document," in order to avail MSE purchase preference.

B) PACKING DELIVERY NOTE: In case of an order, all the packages invariably will have details (supersc

ribed) like Gem Contract no., consignee name, Phone No, etc., to avoid refusal of the consignment at the time of delivery.

C) Bidder must upload duly filled-up facts and figures in the prescribed compliance statement with actual values. Any deviation/mismatch of the specifications mentioned in the technical compliance sheet shall not be accepted.

D) While some sample make/model has been mentioned in the bid, the bidder can quote from any make/model subject to the following conditions:

(a) The quoted part shall be identifiable online through publicly available information (e.g., manufacturer website, online stores and other resources) and its specifications should be readily searchable through common search engines and AI-assisted search platforms (e.g., Google, Gemini, ChatGPT) to facilitate preliminary comparison of specifications during technical evaluation.

(b) Wherever applicable, the bidder shall provide web links to the KiCad library/model and LTspice model of the quoted part in the space provided in the compliance sheet (last column). The bidder also need to clearly mention any discrepancies/ difference with our specification in this column.

If the quoted part is the same make/model as specified in the bid, the bidder may write "NA" in the corresponding field.

(E) Technical Acceptance Criteria

(a) Bidder must write down the actual specification, including part/make no of the offered product against the parameters mentioned in our specifications. Merely writing yes/ok/complied may lead to the offer being rejected. Any difference from our specifications should be clearly indicated for avoiding possible rejection post-delivery.

(b) Product Brochure/leaflet supporting the specification above need to be included.

(F) Post-delivery Acceptance criteria: The product shall be accepted subject to the following tests:

1. Physical verification of the item supplied
2. A representative sample of components chosen in random will be tested for their performance as per specifications.

(G) NOTE:

Submission of the offer shall be deemed acceptance of all terms and conditions mentioned in the bid documents, including delivery period, payment, ePBG, etc. Any deviation found in uploaded documents shall not be considered. The GeM GTC, STC, and all the clauses incorporated by the Buyer in ATC and various corrigendum of the bid will be final.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---