



Bid Number/वोली क्रमांक (विड संख्या): GEM/2023/B/3291160 Dated/दिनांक : 28-03-2023

### Bid Document/ विड दस्तावेज

Bid I	Details/बिड विवरण
Bid End Date/Time/बिड बंद होने की तारीख/समय	18-04-2023 16:00:00
Bid Opening Date/Time/बिङ खुलने की तारीख/समय	18-04-2023 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	65 (Days)
/linistry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Centre Of Plasma Physics-institute For Plasma Research, Dae
Total Quantity/कुल मात्रा	73
ltem Category/मद केटेगरी	Executive Table (Q3), Revolving Chair (Version 2) (Q3), Steel Filing Cabinets (Q3), Executive Computer Table (Q3), Almirah Steel (Version 2) (Q3), Chair Office (Version 2) (Q3), Steel Tables-IS: 8126 (Q3)
MSE Exemption for Years Of Experience/वर्षी के अनुभव के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/ .र्षो के अनुभव के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से आंगे गए दस्तावेज	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिंड का प्रकार	Two Packet Bid
Primary product category	Executive Table
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days



Bid Details/बिङ विवरण		
Evaluation Method/म्ल्यांकन पद्धति	Total value wise evaluation	
EMD Detail/ईएमडी विवरण		
Required/आवश्यकता	No	
ePBG Detail/ईंपीबीजी विवरण		
Required/आवश्यकता	No	
Splitting/विभाजन Bid splitting not applied/बोली विभाजन लागू नहीं किया व Mil Purchase Preference/एमआईआई खरीद वरीयता	गया.	
MII Purchase Preference/एमआईआई खरीद वरीयता Yes		
MSE Purchase Preference/एमएसई खरीद वरीयता		
MSE Purchase Preference/एमएसई खरीद वरीयता	Yes	

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. 3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get

precedence over this clause.

- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.
- 5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
  - i. If number of technically qualified bidders are only 2 or 3.
  - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
  - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
  - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
  - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### Executive Table (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

	[ Day 1 - 1 70 and 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	
	Brand Type/ब्रांड का प्रकार	Registered Brand
	Didito 13 pc/382 44 344(	Nedistered braild
	· · · · · · · · · · · · · · · · · · ·	
- 4		

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
VVI	Leg Material	NO LEGS	
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller	
	Understructure of table	Gable end and modesty panel	
	Storage provided	Both side	
	Keyboard tray	Provided	
	Foot rest	Not Provided	
DIMENSION	Thickness of table top ±2 mm	25.0	
	Thickness of gable end and modesty panel ±2mm	19.0	



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of table top $\pm 10$ mm	1500.0
	Depth of table ±10 mm	900.0
To the second se	Height of table ±10 mm	750.0, 725.0
	Dimension of leg(mmXmm) ±5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Four storage, six storage
FOOTREST	Material thickness of footrest ±2mm	N.A
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
10 P	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
:	OEM of offered product is ISO 18001:2007 certified	YES

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	4	60

#### Revolving Chair (Version 2) (7 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand

# Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair mechanism	Synchronic tilt mechanism, Knee tilt Synchronic mechanism
	Height Adjustment ± 5(mm)	up to 100 mm
	Armrest	With
	Type of backrest support	Backrest foam design based on lumber support
	Armrest Type	Adjustable
	Ergonomic Seat Design	Yes
	Seat type	Sliding
	Locking mechanism	Yes
	Type of locking	4-Position Locking, 5-Position Locking
	Number of arm movement	2 (Up and Down), 4 (Up and Down, Left and Right)
MATERIAL	Pedestal Base	Glass Fiber Nylon, Chrome plated MS, Aluminium die cast
	Twin wheel castor material	Nylon
	Armrest Material	Polypropylene
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece hot pressed plywood with PU foam
	Density of PU foam used in seat KG per Cu Meter (± 3)	45, 50
	Density of PU foam used in backrest in KG per Cu Meter (±3)	45
	Backrest upholstered with	Leatherette
	Seat upholstered with	Leatherette
	GSM/Thickness of fabric ±5%(Gram/Square meter)	290 gram
DIMENSION	Overall width (±10 mm)	750 mm
	Backrest Height ±15 mm	650 mm, 730 mm
	Backrest Width ±10 mm	480 mm
	Seat Height ±10 mm	480 mm
	Seat Width ±10 mm	500 mm
	Seat Depth ±10 mm	480 mm
	Thickness of MS Plate Joining the under structure with Seat	3 mm
	Thickness of Plywood used in Seat ±1(mm)	12 mm



Specifi	ication	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of Plywood used in Backrest ± 1(mm)		12 mm
		Pedestal Size (Diameter in mm) ±10 mm	650 mm
a construction of the cons		Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	45 mm
		Thickness of Polyurethane Foam Used in Backrest in mm((±2 mm)	45 mm
WARRANTY	<b>Y</b>	Warranty period in number of years	1-year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	7	60

# Steel Filing Cabinets ( 6 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

		,
Pranci Typo/aix ar user	la	
Brand Type/ब्रांड का प्रकार	Registered Brand	
	A. C.	

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत सूल्य
GENERIC	Number of Drawer (NOS)	2
	Drawer suspension	Ball bearing
	Lock	Provided
	Locking Mechanism	cylinder locking

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Movable with Wheels at bottom	Yes
	Loading Capacity of drawer in kg (+/- 2 Kg)	70, 80, 90, 100, 120, 140, 160, 180, 200 Or higher
MATERIAL	Sheet Thickness of Side, Back, Top and bottom in mm (+/- 5%)	1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Sheet Thickness of Filing Drawer in mm (+/- 5%)	1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Clutch compressor strip or Cradle strip	made of steel sheet of 1 mm thickness( min)
DIMENSION	Overall Height +/- 10(mm)	750.0
	Width +/- 10 (mm)	650.0
and the second	Depth +/- 10(mm)	450.0
	Height of smallest Drawer +/- 10(mm)	ALL DRAWERS EQUAL
	Height of medium Drawer +/- 10(mm)	N.A
	Height of largest Drawer +/- 10(mm)	N.A
COLOUR & FINISH	Finish	powder coated

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
7	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	6	60

# **Executive Computer Table (5 pieces)**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

1		
1		J., , , , ,
1	Brand Type/ब्रांड का प्रकार	l Unbranded l
	arana iyo ama in min	31131313



# Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Computer Table	Computer table with key board drawer and table top
	Construction of Computer/Printer Table	Gable end and modesty panel
FINISHING AND PACKING	Colour of Top	As per Buyer's Choice
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
DIMENSION	Table top thickness ±2mm	19.0
	Thickness of gable end and modesty panel ±2mm	19
	Dimension of leg(mmXmm) ±5mm	No legs
	Length of table in mm (±15 mm)	1370.0
	Depth of table in mm (±10mm)	915.0
	Height of table in mm (±10mm)	915.0
KEYBOARD TRAY	Type of keyboard tray	Plastic PVC keyboard tray
FOOTREST	Material of footrest	No footrest
	Material thickness of footrest ±2mm	No footrest
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 18001:2007/45001:2018certi fied	NO

 S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	5	60

### Revolving Chair (Version 2) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार Registered Brand

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Chair mechanism	Only Revolving without tilting mechanism
Type of locking	Upright locking
Number of arm movement	N.A
Pedestal Base	MS powder coated
Armrest Material	Polypropylene
Seat material	Pressed and moulded with PU foam
Backrest is made of	One piece hot pressed plywood with PU foam
Density of PU foam used in seat KG per Cu Meter (± 3)	45
	नाम Chair mechanism Type of locking Number of arm movement Pedestal Base Armrest Material Seat material Backrest is made of Density of PU foam used in



	· · · · · · · · · · · · · · · · · · ·	
Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Density of PU foam used in backrest in KG per Cu Meter (±3)		45
	Backrest upholstered with	100% Polyester Fabric
	Seat upholstered with	100% polyester fabric
	GSM/Thickness of fabric ±5%(Gram/Square meter)	220 gram
DIMENSION	Overall width (±10 mm)	690 mm
	Backrest Height ±15 mm	500 mm
	Backrest Width ±10 mm	410 mm
	Seat Height ±10 mm	440 mm
	Seat Width ±10 mm	460 mm
	Seat Depth ±10 mm	480 mm
	Thickness of MS Plate Joining the under structure with Seat	2.5 mm
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm
	Pedestal Size (Diameter in mm) ±10 mm	600 mm
	Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest in mm((±2 mm)	40 mm
WARRANTY	Warranty period in number of years	1-year

S.No. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	10	60

# Almirah Steel (Version 2) ( 9 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

1		
1	Depend Tree of the Tree of the Control of the Contr	l <b></b>
1	Brand Type/ब्रांड का प्रकार	Registered Brand
1		registered brand
- 5		The state of the s

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	Silver Grey
MATERIAL	Steel sheet material	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment)
	Sheet rounds and flats	Conforming to grade E250 of IS 2062
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1250 mm
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	302 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.6 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.25 mm(double folded)



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Hanging rod wall thickness	1.0 mm
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
ARRANGEMENT	Material of lock	Brass and Steel finish
FINIȘH	Finish coat with enamels	Conforming to IS:151
	Powder coating	Conforming to IS: 13871

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	9	60

### Chair Office (Version 2) (23 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand	

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
REQUIREMENT	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Seat type	Padded
V	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	Two Piece
	Frame material	Stainless Steel (SS 304)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	12 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	220 GSM
BACKREST	Backrest material	Moulded Plywood
FABRICATION	Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)	40
	Backrest upholstered with	Leatherette
DIMENSION	Seat Depth (± 5 mm)	450 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	450 mm
a sa fa anaban sa	Backrest height from seat (± 5 mm)	460 mm
COLOUR AND FINISH	Paint Type	Chrome Paint
	Polish Type	N.A
	Colour of Paint	As per Buyer's Requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	23	60

### Steel Tables-IS: 8126 (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand
	1 - 1

## Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Storage	both side	
	Total Number of Storage Units	four storage	
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)	
	Padestal (Under structure)	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)	
	Table Top Length +/- 10(mm)	1360.0	
	Table Top Width +/-10(mm)	750.0	
	Table Height +/-5(mm)	750.0	
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)	
DIMENSION	Depth of Storage Unit +/- 575.0 10(mm)		
	Width of Locker / Cupboard type Storage unit	350 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of Locker / Cupboard type Storage unit	550 mm
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	NO
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	8	60

### Almirah Steel (Version 2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

1			
		1	
1	Brand Type/ब्रांड का प्रकार	l Unbranded I	
ı	Diana Type/Mis 44 M445	I Olibi aliueu I	
1		1	

### Technical Specifications/तकनीकी विशिष्टियाँ



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिङ के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel with Glass door
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	Ash Grey
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	Conforming to grade E250 of IS 2062
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1950 mm
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	430 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.9 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.9 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	140 mm
	Stiffener sheet thickness	0.8 mm
	Number of glass sheet fixed	2
	Handle size	15 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
ANNANGEMENT	Material of lock	Brass and Steel finish
FINISH	Finish coat with enamels	Conforming to IS : 2932 (Part 1)
	Powder coating	With 50 micron thickness minimum

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Smruti Ranjan Mohanty	782402,Nazirakhat, Sonapur	1	60

# Buyer Added Bid Specific Terms and Conditions/क्रता द्वारा जोड़ी गई बिड की विशेष शर्ते

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1) Payment: 100% within material receipt and acceptance.
- 2) Compliance sheet should be submit with full technical details not as complied, yes etc.

#### 4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 5. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or



after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

#### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह विड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws. जिस की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के विडर से खरीद पर प्रतियंध के संयंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी विडर इस निविदा में विड देने के लिए तभी पात्र होगा जब वह विड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। विड में भाग लेते समय विडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुयंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई

का	आधार	योगा ।
प्रा	जापार	हींगा

---Thank You/धन्यवाद---